E-waste

E-waste contains various metals, including valuable precious metals like gold, silver, and palladium, and base metals such as copper, aluminum, iron, tin, and nickel. It also contains toxic metals, like lead, mercury, cadmium, and arsenic, which are hazardous to human health and the environment if not properly managed. Effective recycling methods are crucial for recovering these valuable metals and safely handling the hazardous components.

- Valuable Metals:

1.Precious Metals:

These are high-value metals found in components like printed circuit boards (PCBs).

Gold (Au)

Silver (Ag)

Palladium (Pd)

Platinum (Pt)

2.Base Metals:

These are more common but still valuable metals.

Copper (Cu)

Aluminum (Al)

Iron (Fe)

Nickel (Ni)

Zinc (Zn)

Tin (Sn)

3.Toxic and Hazardous Metals:

These metals pose significant health and environmental risks.

Lead (Pb), Mercury (Hg), Cadmium (Cd), Arsenic (As), Beryllium (Be), Antimony (Sb), and Chromium (Cr).

- Importance of Metal Recovery:

1.Economic Benefit:

Extracting precious and base metals from e-waste

can offset recycling costs.

2.Environmental Protection:

Recycling reduces the amount of toxic metals released into the environment, preventing soil and water contamination.

3.Resource Conservation:

Recovering metals from e-waste conserves natural resources that would otherwise be mined from conventional ore.

- Challenges in E-Waste Recycling:

1.Complex Composition:

E-waste is a heterogeneous mix of metals, plastics, and ceramics, requiring complex and diverse technologies for separation and recovery.

3.Hazardous Components:

Proper handling and disposal are essential to prevent exposure to toxic substances during the recycling process.

- Metals in electronics

Metals in electronics include copper, which is used for wiring and heat sinks, and aluminum, for frames and circuit boards. Precious metals like gold, silver, platinum, and palladium are used in chips, connectors, and circuit boards due to their conductivity and corrosion resistance. Tin and lead

are used in solder, while rare earth elements such as neodymium are found in hard drives. Other important metals include nickel, tantalum, and cobalt, found in various components.

*** Commonly Used Metals:**

- Copper:

Essential for wiring, power delivery, and heat sinks due to its excellent electrical and thermal conductivity.

- Aluminum:

Used in computer components, hard drives, heat sinks, and for its lightweight and malleable properties.

- Tin:

Found in solder and on printed circuit boards.

- Nickel:

Used in circuit board components.

- Lead:

Historically used in solder, though its use is increasingly restricted due to toxicity.

*** Precious and Rare Metals:**

- Gold:

Valued for its excellent electrical conductivity and resistance to corrosion, it's used in computer chips, connectors, and printed circuit boards.

- **Silver:**
A highly conductive metal used in computer chips, keyboard membranes, and some capacitors.
- **Platinum and Palladium:**
Used in hard drives and as components on circuit boards, including capacitors.
- **Tantalum:**
Used in some capacitors on circuit boards.
* **Rare Earth Elements:**
Including neodymium, dysprosium, and others, are used in hard drive magnets, batteries, and other electronic components.
* **Other Metals**
- **Zinc:**
Found in printed circuit boards.
- **Cobalt:**
Used in hard drives.
- **Magnesium:**
Found in alloys that are used in components for its high heat conductivity and light weight.
- **E-Waste Metal Recycling**
Recycling metals from electronics
involves collecting and dismantling devices to separate components like circuit boards and batteries. Precious metals like gold, silver, and

palladium are then extracted
using hydrometallurgical processes, which use chemical solutions, or smelting and other methods. This process recovers valuable resources, reduces landfill waste, and saves energy compared to mining new metals, but a significant amount of e-waste is still not properly recycled.

- Steps in E-Waste Metal Recycling:

1. Collection and Sorting:

E-waste is gathered and sorted by material type to identify high-value electronics like phones and laptops for metal recovery.

2. Dismantling:

- Devices are taken apart to separate main components, such as:

*** Circuit Boards:**

Contain gold, silver, palladium, and copper.

*** Batteries:**

Provide lithium and cobalt.

*** Processors and RAM:**

Often include gold and platinum.

3. Metal Recovery:

Metals are extracted from the separated components using specialized techniques.

*** Hydrometallurgical Process:**
Involves using chemical solutions to dissolve and extract specific metals. Methods include cyanide leaching, acid leaching, and electrowinning (using electricity to deposit pure metals).
*** Smelting:**
High-temperature methods, like blast furnaces, can also be used to extract metals from the waste.
- Metals in cooling systems
Metals in cooling systems include steel, copper, aluminum, stainless steel, and brass. These materials are chosen for their various properties like thermal conductivity, mechanical strength, and corrosion resistance, but are all susceptible to corrosion from the water and dissolved oxygen. To protect these metals, corrosion inhibitors, which form a protective layer on the metal surfaces, are used.
Common Metals and Their Properties
Steel:
Offers good mechanical strength but is prone to corrosion, especially in the presence of oxygen and chlorides.
Copper:
Valued for its excellent thermal conductivity, but can

corrode in acidic/alkaline conditions and with ammonia or sulfur compounds.

Aluminum:

Lightweight and resistant to corrosion, but sensitive to alkaline solutions and chlorides.

Stainless Steel:

Provides high corrosion resistance but is more expensive than other metals.

Brass:

A copper alloy commonly used in cooling systems.

Corrosion Concerns

Corrosive Environments:

The water in cooling systems contains oxygen, which dissolves and promotes corrosion.

Galvanic Corrosion:

When different metals are in contact with each other and the electrolyte-rich coolant, galvanic corrosion can occur, accelerating the decay of the less noble metal.

Coolant Degradation:

Uninhibited ethylene glycol can degrade into organic acids in the presence of heat and metals like copper and aluminum, creating a more corrosive environment.

Corrosion Prevention

Corrosion Inhibitors:
Chemicals like phosphates, silicates, and organic compounds are added to the coolant to form a protective film on the metal surfaces.
pH Control:
Maintaining the correct pH level in the coolant is crucial to prevent the aggressive attack on metals.
Water Treatment Programs:
A comprehensive water treatment program can include corrosion inhibitors, scale inhibitors, and other chemicals to protect system metals.

- Metals in electrical contactors
Electrical contactors primarily use silver alloys, such as silver-cadmium oxide (though now less common due to toxicity) and silver-tungsten, to manage high currents and prevent welding and arcing. Other metals like pure
silver, copper, gold, and palladium are also used, with the choice depending on factors like current requirements, wear, cost, and environmental conditions.
Common Metals and Alloys Used:
Silver and Silver Alloys:
These are the most common materials for

contactors due to silver's excellent conductivity.
Silver-cadmium oxide (AgCdO): An older, effective material for handling high currents, but its use has decreased due to environmental and health concerns.
Silver-tungsten (AgW): Used for high-power DC and AC contactors to combine silver's conductivity with tungsten's hardness to resist wear and welding.
Silver-tin oxide ($AgSnO_2$): A non-toxic alternative to AgCdO, offering excellent performance on high current loads.
Silver-nickel: Cheaper than some other alloys, providing good performance and resistance to wear and fatigue.
Copper:
Used for internal components and contact bases, especially in high-current applications.
Gold:
Used in some electronic contacts for its excellent corrosion resistance, though less common for the main contacts of heavy-duty contactors.
Palladium:
A platinum-group metal with similar corrosion resistance to gold, used in some contact alloys.
Tungsten and Molybdenum:

Used in alloys to add hardness and resistance to wear and welding, particularly in heavy-duty applications.

Factors Influencing Material Choice:

Arcing and Welding Resistance:

Alloys containing metals like cadmium oxide, tungsten, or tin are used to prevent contacts from welding shut under high current.

Conductivity:

High-conductivity metals like silver and copper are preferred to minimize resistance and heat generation.

Durability and Wear:

Hard metals and alloys (like silver-tungsten) are chosen for applications involving frequent operation.

Cost:

The cost of the material is a significant factor, with copper and silver-nickel being more economical options than precious metals.

Environmental and Safety Considerations:

The toxicity of materials like silver-cadmium oxide has led to the development and adoption of safer alternatives like silver-tin oxide.

- Metals in cars

Cars are made from a variety of metals, primarily steel and aluminum, with other important metals including iron, copper, magnesium, and platinum, palladium, and gold. Steel provides strength and durability for the chassis and body, while aluminum and magnesium are used to reduce weight and improve fuel efficiency. Copper is essential for electrical systems, and precious metals like platinum and palladium are found in catalytic converters.

Common Metals and Their Uses

Steel:

The most abundant metal in cars, steel is used for the chassis, body panels, doors, and structural components due to its strength and durability.

Aluminum:

Favored for its lightweight properties and corrosion resistance, aluminum is used in engine components, wheels, and body panels to enhance fuel economy.

Iron:

Primarily found in the engine block and other drivetrain components, iron's heat resistance makes it ideal for high-temperature parts.

Copper:
Essential for its excellent electrical conductivity, copper is used in wiring, starters, and various other electrical components throughout the vehicle.
Magnesium:
A very light metal, magnesium is utilized in the body and engine parts to further reduce weight.
Titanium:
Used in specialized applications, titanium is valued for its high strength, light weight, and corrosion resistance.
Precious Metals (Platinum, Palladium, Gold, Silver):
Found in catalytic converters to reduce emissions, platinum and palladium are crucial for their unique chemical properties. Gold and silver are used in smaller quantities for electronic components and wiring due to their high conductivity.
Why These Metals Are Used
Each metal is chosen for specific properties that contribute to the vehicle's overall performance, safety, and efficiency.
Strength and Safety:
Steel provides the structural integrity necessary for crash protection.

Fuel Efficiency:
Lightweight metals like aluminum and magnesium help reduce the vehicle's weight, leading to better fuel economy and increased range for electric vehicles.
Durability and Heat Resistance:
Cast iron and specialized steel alloys are used in high-stress, high-temperature areas like engine components.
Electrical Performance:
Copper and precious metals are vital for efficient and reliable electrical and electronic systems.

- Mercury in electronics industries:
Mercury was historically used in the electronics industry for LCD backlights, switches, and some batteries due to its unique electrical and photoelectronic properties, but its use has significantly decreased due to environmental and health concerns. The EPA and other organizations encourage proper disposal of mercury-containing electronics to prevent contamination.
- Historical Uses of Mercury in Electronics
* LCD Screens: Mercury was used in cold cathode fluorescent lamps (CCFLs), which served as

backlights for LCD screens and monitors.
* Switches: The high electrical conductivity of liquid mercury led to its use in sealed electric switches and relays for devices, including laptop screen shutoffs.
* Batteries: Mercury was present in some smaller batteries, such as button batteries.
- Reasons for Mercury's Use
* Electrical Properties: Mercury's unique ability to conduct electricity made it useful in various electrical and electronic components.
* Photoelectronic Properties: Its properties were also valuable in applications like lighting.
- Environmental Impact and Reduction Efforts
* Toxicity:
Mercury is a highly toxic element and persistent, bioaccumulative pollutant.
* Environmental Contamination:
Improper disposal of mercury-containing electronics can lead to mercury leaching into soil and water systems, potentially causing widespread contamination and entering the food chain as methylmercury.
* Phase-Out and Alternatives:
The electronics industry has made significant

efforts to reduce and replace mercury in products and processes due to growing environmental awareness.

- Disposal and Recycling

* Proper Disposal:

Electronics containing mercury, like old televisions and monitors, should be disposed of at household hazardous waste collection centers or specialized recycling facilities.

* Recycling Infrastructure:

Recycling programs for mercury-containing products, such as fluorescent lamps, are available and developing.

- Occupational Risks

Workers at e-waste and lamp recycling facilities are at risk of exposure to mercury vapor and dust during dismantling and crushing processes.

- Lead in electronics industries:

Lead was once crucial in the electronics industry, especially in solders for reliable connections and in components like piezoelectric ceramics (e.g., PZT), due to its excellent physical properties such as low melting point and malleability. However, due to its toxicity and resulting environmental and health

risks, regulations like the EU's Restriction of Hazardous Substances (RoHS) directive mandated its replacement with lead-free alternatives, leading to a global industry transition toward lead-free solders and components.

- Historical Use of Lead in Electronics:

* Solder:

Lead was a primary component in tin-lead solders, which had a low melting point, making the assembly process easier and more controllable, and provided strong, reliable electrical connections.

* Components:

Lead was used in various electronic components and materials, including ceramic components and even as lead wires to connect parts.

* Piezoelectric Ceramics:

Lead-containing piezoelectric materials like PZT have been essential in high-tech applications such as inkjet printers and ultrasonic imaging, thanks to their strong piezoelectric effect and durability.

- Reasons for Lead's Phase-Out:

* Toxicity:

Lead is a heavy metal and a chronic toxin that poses significant health risks, particularly to children.

* Environmental Concerns:
The disposal of electronic waste (e-waste) containing lead raises concerns about lead leaching into landfills or being released into the environment through incineration.
* Regulations:
The European Union's RoHS directive, implemented in 2006, banned lead and other hazardous substances in electronic equipment, pushing the industry to find lead-free alternatives.
- The Transition to Lead-Free Electronics:
* Industry-Wide Change:
The global electronics industry has largely moved away from leaded components and materials to meet regulatory requirements and reduce environmental impact.
* New Technologies:
The transition has spurred research and development into new materials and processes for creating reliable, lead-free electronic products.
* Challenges:
While lead-free solders have been developed, some sectors, like defense and aerospace, initially faced challenges due to their reliance on the known properties of tin-lead solder and potential "tin

whiskers" in lead-free plating.

- Why Recycle E-Waste Metals?

Resource Conservation:

Recovers finite and valuable metals from discarded devices, reducing the need for destructive mining operations.

*** Energy Savings:**

Recycling metals like aluminum and copper is significantly more energy-efficient than producing them from raw materials.

- Environmental Protection:

Prevents hazardous materials from landfills and reduces the carbon footprint associated with manufacturing.

- Economic Benefits:

Creates jobs in the recycling sector and supports the economy.

- How to Find a Certified Recycler

To ensure responsible and effective metal recovery, always seek out certified e-waste recycling centers that specialize in metal reclamation.

By: Haytham Zeidan

https://archive.org/details/@wazefapress

Resources:

https://www.who.int/news-room/fact-sheets/detail/electronic-waste-(e-waste)

https://www-cycle.nies.go.jp/eng/column/page/202011_01.html

https://www.unep.org/ietc/news/story/sustainable-future-e-waste

https://www.nea.gov.sg/our-services/waste-management/3r-programmes-and-resources/e-waste-management

https://unitar.org/about/news-stories/press/global-e-waste-monitor-2024-electronic-waste-rising-five-times-faster-documented-e-waste-recycling

https://www.who.int/news-room/facts-in-pictures/detail/e-waste-and-child-health

https://ecoverva.com/how-e-waste-management-is-shaping-a-sustainable-future/

https://www.nhm.ac.uk/discover/what-is-ewaste-and-what-can-we-do-about-it.html

https://summitecycle.com/e-waste-vs-traditional-recycling/

https://namoewaste.com/disposal-techniques-for-electronic-waste/

***

https://www.conceptmanagement.co.uk/knowledge/materials/

precious-metal/

https://www.investopedia.com/ask/answers/042015/what-commodities-are-main-inputs-electronics-sector.asp

https://adonis-itad.com/unveiling-the-hidden-treasures-the-precious-metals-inside-electronics/

https://www.reachemchemicals.com/blog/how-are-precious-metals-used-in-the-electronics-industry/

https://mayeralloys.com/did-you-know-your-computer-contains-precious-metals/

https://www.nemko.com/blog/metals-needed-for-the-electronics-industry-at-risk

https://www.researchgate.net/figure/Figure-6-Here-is-the-ten-most-metals-used-in-electronics-14_fig3_365236444

https://emew.com/blog/precious-metals-recovery-from-e-waste

https://www.sciencedirect.com/topics/materials-science/tin

https://www.listcorp.com/asx/mtm/metallium-limited/news/high-multi-metal-recovery-from-e-waste-incl-palladium-and-amp-tin-3096529.html

https://www.asc-i.com/application/files/4914/5042/8817/Thermal_management_of_PCBs_112305.pdf

https://www.icealum.com/post/aluminium-in-electronics-advantages-and-applications

https://www.numberanalytics.com/blog/aluminum-materials-science

https://www.giffgaff.com/blog/what-minerals-are-in-my-phone/

https://ledouxandcompany.com/electronic-scrap-analysis/how-to-identify-precious-metals-in-electronics/

https://www.stanfordmaterials.com/rare-earths-in-electronics.html

https://pubs.aip.org/aip/apr/article/11/1/011307/3176443/Metal-anodes-meet-ionic-liquids-An-interfacial

https://www.askiitians.com/forums/11-grade-chemistry-others/the-lightest-metal-is-a-li-b-fe-c-cu-d-ag-25_484684.htm

https://www.samaterials.com/content/are-rare-earth-metals-important.html

***

https://learn.apmex.com/learning-guide/science/precious-metals-in-cars/

https://www.samaterials.com/blog/which-types-of-metals-are-used-in-automotive-engineering.html

https://roberts.com.ph/blog/types-metals-automotive-manufacturing/

https://zincus.com.tr/industries/automotive

https://www.maximizemarketresearch.com/market-report/global-automotive-lightweight-materials-market/32602/

https://botanyrecycling.com.au/what-car-parts-precious-metals/

https://www.sfa-oxford.com/knowledge-and-insights/critical-minerals-in-low-carbon-and-future-technologies/critical-minerals-in-transport/electric-vehicles-and-charging-infrastructure/

***

https://www.almawatech.com/en/water-chemistry/different-metals-in-cooling-systems-what-to-consider-during-chemical-treatment/

https://www.chemtreat.com/solutions/water-essentials-handbook-chapter-corrosion-scale-and-biofouling-control-in-cooling-systems/

https://www.hydrocarbonengineering.com/special-reports/11012023/a-guide-to-protecting-cooling-systems/

https://www.chemtreat.com/cooling-systems-corrosion-inhibition/

***

https://www.contactechnologies.com/Electrical-Contacts.htm

https://en.m.wikipedia.org/wiki/Contactor

https://www.invimec.com/en/news/silver-electrical-contacts-types-and-production/

https://en.m.wikipedia.org/wiki/Electrical_contact

https://www.specialtymetals.com/blog/2014/7/23/electrical-contacts-little-nuggets-of-high-value

https://www.globalspec.com/specsearch/searchform/materials_chemicals_adhesives/electrical_optical_specialty_materials/electrical_contact_electrode_materials/electrical_contacts_contact_materials/

***

https://www.epa.gov/mercury/mercury-consumer-products

https://www.nedt.org/mercury-and-other-hazardous-metals-used-in-household-lighting-and-electronics/

https://greenmachinecomputers.com/mercury-in-electronics/

https://www.sciencedirect.com/science/article/abs/pii/B9780081021583000070

https://regulations.about.keysight.com/mercury/

https://www.britannica.com/technology/mercury-processing

https://nswai.org/docs/Mercury%20in%20e-waste.pdf

https://pubmed.ncbi.nlm.nih.gov/39774068/

https://onlinelibrary.wiley.com/doi/abs/10.1002/ep.670140411

***

https://www.hdk.co.jp/english/ems_e/ems003_e.htm

https://pmc.ncbi.nlm.nih.gov/articles/PMC1281311/

https://me.umd.edu/news/story/umd-research-aids-militarys-transition-to-leadfree-electronics

https://www.electronicdesign.com/markets/automation/article/21121514/lead-past-present-and-future

https://www.gov.uk/government/publications/lead-properties-incident-management-and-toxicology/lead-general-information

https://connectorsupplier.com/what-are-lead-wires/

https://www.electronicsforyou.biz/industry-buzz/lead-free-electronics-to-help-lead-good-health/

https://www.xometry.com/resources/materials/what-is-lead/

https://www.electronics.org/system/files/technical_resource/E18%26S27-3.pdf

https://ieeexplore.ieee.org/document/526121

https://www.dla.mil/Portals/104/Documents/LandAndMaritime/V/VA/PSMC/May09/LM_LeadFree_151030.pdf